

Pro Series High Definition (HD) Digital Video Scopes

Video Monitor:

- Monitor: 3.5" full view IPS LCD
- Resolution: 1280 x 720
- Photos and videos
- Date & Time stamp
- Digital Zoom: 1.4x / 1.6x / 2x
- Upside down image flip
- Brightness adjustment
- Battery: 1500mAh lithium polymer
- Supports 13 languages
- Solid rubber boot protector for shock resistance
- Dimensions: 18.5cm x 10.0cm x 3.2cm (7.3" x 3.9" x 1.3")
- Weight: 252g (8.9oz)

Probes:

- IP67 rated dust and fluid
- Resistant to all fuels, water, coolants, oils, brake fluid and transmission fluid
- Temperature range: 0 - 55°C (32 - 131°F)

The world's first and smallest models of Digital Video Scopes with full High-Definition resolution



Engine



Under Car



A/C



Exhaust



Brakes



Body

Video Scope Kits

DVSK-45DC

HD Digital Video Scope Kit w/ 4.5mm Dual Camera Probe

The most versatile small diameter high-definition digital video scope kit. Comes with the 4.5mm diameter Dual Camera imaging probe, allowing the user to view forward and side views with just a flick of a button, without the need for a mirror or multiple probes to do the same job.



The DVSK-45DC kit contains:

- Main monitor device
- 4.5mm Dual Camera probe
- 8G SD mini card
- USB cable for charging
- User manual
- In a zippered carrying case (7.9" x 4.7" x 2.8" / 1.1 lbs.)

DVSK-60ART

HD Digital Video Scope Kit w/ 6.0mm Articulation Probe

The most in demand video scope kit. The 6mm diameter Articulation imaging probe lets the user have a 310° full swing view. Great for any engine work.



The DVSK-60ART kit contains:

- Main monitor device
- 6.0mm Articulation probe
- 8G SD mini card
- USB cable for charging
- User manual
- In a hard shell plastic carrying case (14" x 12" x 3" / 1.75 lbs.)

Imaging Probes

DP39

3.9mm HD Digital Imaging Probe (Front View)

- Smallest diameter probe
- Designed for work on diesel TDI engines, diesel injection ports, glow plug ports, door & window frame and other narrow access applications



DP45C

4.5mm HD Digital Dual Camera Imaging Probe

- Front and side view cameras combined in one imaging probe provides more than a 110° field of view
- Switch easily from side to front views with a single button



DP60ART

6.0mm HD Digital Articulation Imaging Probe

- With an articulation field of view of 310°, no need for a mirror adaptor!
- Two-way articulation wheel control for easy manipulation



Technical Specifications

	DP39	DP45DC	DP60ART
Description	3.9mm HD Digital Imaging Probe (Front View)	4.5mm HD Digital Dual Camera Imaging Probe	6.0mm HD Digital Articulation Imaging Probe
Diameter	3.9mm	4.5mm	6.0mm
Length	1m	1m	1m
Waterproof	IP67	IP67	IP67
Digital Resolution	1280 x 720 pixels	1280 x 720 pixels	1280 x 720 pixels
Field of View (FOV)	80 degrees	60 degrees	60 degrees
Depth of Field (DOF)	3-8cm	3-8cm	2-5cm
LED lights	6	front view/6, side view/4	6

Replacement probes available for the Analog Kits ANSED/VS-49, ANSED/VS-ARTONE and ANSED/VS-55:

39FV	3.9mm Front View Probe
39SV	3.9mm Side View Probe
49SW	4.9mm Dual Camera Probe
55	5.5mm Standard Camera Probe
ARTONE	6 mm Articulation Probe

For more information:



ANSED Diagnostic Solutions LLC
1528 Walnut Street
Suite 1600
Philadelphia, PA 19102
888.685.7287

sales@anseddiagnostics.com
www.anseddiagnostics.com